

Rectal temperature	37.6	°C
Pulse quality	<input checked="" type="checkbox"/>	normal
Rate at rest	42	/min.
Respiration	<input checked="" type="checkbox"/>	normal
Pulse at rest	10	/min.
	<input type="checkbox"/>	difficulties on inspiration
	<input type="checkbox"/>	difficulties on expiration
Visual examination of head	<input checked="" type="checkbox"/>	normal
Conjunctiva	<input checked="" type="checkbox"/>	normal
Mandibular lymph nodes	<input checked="" type="checkbox"/>	normal
Jugular veins	<input checked="" type="checkbox"/>	normal
Nasal discharge	<input checked="" type="checkbox"/>	no
Spontaneous cough	<input checked="" type="checkbox"/>	no
	<input type="checkbox"/>	yes
	<input type="checkbox"/>	yes
II. Examination at rest		
Nervous system	<input checked="" type="checkbox"/>	normal
Any indications of paralysis and problems of the central nervous system		
Eyes	<input checked="" type="checkbox"/>	normal
Anterior segment including lids, conjunctiva, cornea, anterior chamber, iris and adnexa		
Posterior segment including lens, vitreous humour and retina	<input checked="" type="checkbox"/>	normal
	<input type="checkbox"/>	Mydriasis
	<input type="checkbox"/>	yes
	<input type="checkbox"/>	no
	(Please observe status of food)	
Behaviour	<input checked="" type="checkbox"/>	normal
Respiratory system	<input checked="" type="checkbox"/>	normal
Cough reflex	<input checked="" type="checkbox"/>	normal
Auscultation of the trachea	<input checked="" type="checkbox"/>	normal
Auscultation of the lungs	<input checked="" type="checkbox"/>	normal
Following respiratory stimulation [breathing exam, closure of nostrils or via medication]	<input checked="" type="checkbox"/>	normal
Heart	<input checked="" type="checkbox"/>	normal
Oral cavity, teeth (rostral aspect)	<input checked="" type="checkbox"/>	normal
External genitalia	<input checked="" type="checkbox"/>	normal
Visual examination and palpation		
Faeces consistency	<input checked="" type="checkbox"/>	normal
Drug testing	<input type="checkbox"/>	urine
	<input type="checkbox"/>	blood
	<input type="checkbox"/>	immediately examined
	<input type="checkbox"/>	not examined
	<input type="checkbox"/>	different handling

Contract No.

122380